

OXFORD

Experimental Design and Analysis for Psychology

Hervé Abdi, Betty Edelman, Dominique Valentin & W. Jay Dowling



Contents

1	Introduction to experimental design	1
1.1	Introduction	1
1.2	Independent and dependent variables	2
1.3	Independent variables	4
1.3.1	Independent variables manipulated by the experimenter	4
1.3.2	Randomization	5
1.3.3	Confounded independent variables	5
1.3.4	'Classificatory' (or 'tag') and 'controlled' independent variables	8
1.3.5	Internal versus external validity	11
1.4	Dependent variables	12
1.4.1	Good dependent variables	13
1.5	Choice of subjects and representative design of experiments	14
1.6	Key notions of the chapter	15
2	Correlation	16
2.1	Introduction	16
2.2	Correlation: overview and example	16
2.3	Rationale and computation of the coefficient of correlation	18
2.3.1	Centering	19
2.3.2	The four quadrants	20
2.3.3	The rectangles and their sum	22
2.3.4	Sum of the cross-products	23
2.3.5	Covariance	24
2.3.6	Correlation: the rectangles and the squares	26
2.3.6.1	For experts: going from one formula to the other one	26
2.3.7	Some properties of the coefficient of correlation	27
2.3.8	For experts: why the correlation takes values between -1 and +1	27
2.4	Interpreting correlation and scatterplots	28
2.5	The importance of scatterplots	28
2.5.1	Linear and non-linear relationship	28
2.5.2	<i>Vive la difference?</i> The danger of outliers	28
2.6	Correlation and similarity of distributions	30
2.6.1	The other side of the mirror: negative correlation	30
2.7	Correlation and Z-scores	32
2.7.1	Computing with Z-scores: an example	34
2.7.2	Z-scores and perfect correlation	34
2.8	Correlation and causality	36
2.9	Squared correlation as common variance	37
2.10	Key notions of the chapter	37
2.11	Key formulas of the chapter	38
2.12	Key questions of the chapter	38
3	Statistical test: the <i>F</i> test	39
3.1	Introduction	39

3.2	Statistical test	40
3.2.1	The null hypothesis and the alternative hypothesis	40
3.2.2	A decision rule: reject H_0 when it is 'unlikely'	41
3.2.3	The significance level: specifying the 'improbable'	42
3.2.4	Type I and Type II errors: α and β	42
3.2.5	Sampling distributions: Fisher's F	44
3.2.5.1	Empirical (Monte-Carlo) approach	45
3.2.5.2	Theoretical (traditional) approach	47
3.2.6	Region of rejection, region of suspension of judgment, and critical value	50
3.2.7	Using the table of critical values of Fisher's F	52
3.2.8	Summary of the procedure for a statistical test	53
3.2.9	Permutation tests: how likely are the results?	53
3.3	Not zero is not enough!	55
3.3.1	Shrunken and adjusted r values	56
3.3.2	Confidence interval	57
3.3.2.1	Fisher's Z transform	58
3.3.3	How to transform r to Z : an example	58
3.3.4	Confidence intervals with the bootstrap	59
3.4	Key notions of the chapter	61
3.5	New notations	61
3.6	Key formulas of the chapter	61
3.7	Key questions of the chapter	62
4	Simple linear regression	63
4.1	Introduction	63
4.2	Generalities	63
4.2.1	The equation of a line	63
4.2.2	Example of a perfect line	64
4.2.3	An example: reaction time and memory set	65
4.3	The regression line is the 'best-fit' line	67
4.4	Example: reaction time and memory set	68
4.5	How to evaluate the quality of prediction	70
4.6	Partitioning the total sum of squares	72
4.6.1	Generalities	72
4.6.2	Partitioning the total sum of squares	73
4.6.3	Degrees of freedom	75
4.6.4	Variance of regression and variance of residual	75
4.6.5	Another way of computing F	75
4.6.6	Back to the numerical example	76
4.6.6.1	Index F	77
4.7	Mathematical digressions	77
4.7.1	Digression 1: finding the values of a and b	77
4.7.2	Digression 2: the mean of Y is equal to the mean of Y	80
4.7.3	Digression 3: the residuals ($Y - \hat{Y}$) and the predicted values \hat{Y} are uncorrelated	80
4.7.4	Digression 4: $r^{\wedge} Y^*_{*y} = r^{\wedge} X^*_{*v}$	82
4.8	Key notions of the chapter	84
4.9	New notations	84
4.10	Key formulas of the chapter	84
4.11	Key questions of the chapter	85

5	Orthogonal multiple regression	86
5.1	Introduction	86
5.2	Generalities	87
5.2.1	The equation of a plane	87
5.2.2	Example of a perfect plane	88
5.2.3	An example: retroactive interference	90
5.3	The regression plane is the 'best-fit' plane	92
5.4	Back to the example: retroactive interference	93
5.5	How to evaluate the quality of the prediction	96
5.5.1	How to evaluate the importance of each independent variable in the prediction	98
5.5.2	How to evaluate the importance of each independent variable for the dependent variable	99
5.5.3	From the r_y coefficients to the r_y coefficients	100
5.6	F tests for the simple coefficients of correlation	100
5.7	Partitioning the sums of squares	101
5.7.1	What is a score made of?	102
5.7.2	The score model	102
5.7.3	Life is simple when X and T are orthogonal: partitioning the sum of squares regression	103
5.7.4	Degrees of freedom	104
5.7.5	Mean squares	104
5.7.6	The return of F	104
5.7.7	Back to the example	105
5.8	Mathematical digressions	107
5.8.1	Digression 1: finding the values of a , b , and c	107
5.9	Key notions of the chapter	110
5.10	New notations	110
5.11	Key formulas of the chapter	110
5.12	Key questions of the chapter	111
6	Non-orthogonal multiple regression	112
6.1	Introduction	112
6.2	Example: age, speech rate and memory span	112
6.3	Computation of the regression plane	113
6.4	How to evaluate the quality of the prediction	116
6.4.1	How to evaluate the importance of each independent variable in the prediction	117
6.4.2	The specific contribution of each independent variable: the semi-partial contribution	118
6.5	Semi-partial correlation as increment in explanation	121
6.5.1	Alternative formulas for the semi-partial correlation coefficients	123
6.6	F tests for the semi-partial correlation coefficients	124
6.7	What to do with more than two independent variables	125
6.7.1	Computing semi-partial correlation with more than two independent variables	125
6.7.2	Multicollinearity: a specific problem with non-orthogonal independent variables	126
6.8	Bonus: partial correlation	127
6.9	Key notions of the chapter	128
6.10	New notations	128

6.11	Key formulas of the chapter	128
6.12	Key questions of the chapter	129
7	ANOVA one factor: intuitive approach and computation of F	130
7.1	Introduction	130
7.2	Intuitive approach	130
7.2.1	An example: mental imagery	130
7.2.2	An index of effect of the independent variable	131
7.3	Computation of the F ratio	133
7.3.1	Notation, etc.	133
7.3.2	Distances from the mean	135
7.3.3	A variance refresher	136
7.3.4	Back to the analysis of variance	137
7.3.5	Partition of the total sum of squares	138
7.3.5.1	Proof of the additivity of the sum of squares	139
7.3.5.2	Back to the sum of squares	140
7.3.6	Degrees of freedom	140
7.3.6.1	Between-group degrees of freedom	141
7.3.6.2	Within-group degrees of freedom	141
7.3.6.3	Total number of degrees of freedom	142
7.3.7	Index F	142
7.4	A bit of computation: mental imagery	142
7.5	Key notions of the chapter	144
7.6	New notations	144
7.7	Key formulas of the chapter	145
7.8	Key questions of the chapter	146
8	ANOVA, one factor: test, computation, and effect size	147
8.1	Introduction	147
8.2	Statistical test: a refresher	147
8.2.1	General considerations	147
8.2.2	The null hypothesis and the alternative hypothesis	148
8.2.3	A decision rule: reject H_0 when it is 'unlikely'	148
8.2.4	Sampling distributions: the distributions of Fisher's F	148
8.2.5	Region of rejection, region of suspension of judgment, critical value	149
8.3	Example: back to mental imagery	149
8.4	Another more general notation: A and $S(A)$	152
8.5	Presentation of the ANOVA results	153
8.5.1	Writing the results in an article	154
8.6	ANOVA with two groups: F and f	154
8.6.1	For experts: Fisher and Student ...Proof	155
8.6.2	Another digression: F is an average	156
8.7	Another example: Romeo and Juliet	157
8.8	How to estimate the effect size	161
8.8.1	Motivation	161
8.8.2	R and η^2	162
8.8.2.1	Digression: B^2/A is a coefficient of correlation	163
8.8.2.2	F and η^2	164
8.8.3	How many subjects? Quick and dirty power analysis	165
8.8.4	How much explained variance? More quick and dirty power analysis	166

8.9	Computational formulas	167
8.9.1	Back to Romeo and Juliet	167
8.9.2	The 'numbers in the squares'	168
8.9.2.1	Principles of construction	168
8.9.2.2	'Numbers in the squares' and the Universe ...	169
8.10	Key notions of the chapter	170
8.11	New notations	170
8.12	Key formulas of the chapter	170
8.13	Key questions of the chapter	171
9	ANOVA, one factor: regression point of view	172
9.1	Introduction	172
9.2	Example 1: memory and imagery	173
9.3	Analysis of variance for Example 1	173
9.4	Regression approach for Example 1: mental imagery	176
9.5	Equivalence between regression and analysis of variance	180
9.6	Example 2: Romeo and Juliet	182
9.7	If regression and analysis of variance are one thing, why keep two different techniques?	185
9.8	Digression: when predicting Y from M_a , $b=1$, and $a_{\text{regression}} = 0$	185
9.8.1	Remember...	185
9.8.2	Rewriting SS_X	186
9.8.3	Rewriting SCP_{yx}	186
9.8.4	$a_{\text{regression}} = 0$	187
9.8.5	Recap	187
9.9	Multiple regression and analysis of variance	187
9.10	Key notions of the chapter	189
9.11	Key formulas of the chapter	189
9.12	Key questions of the chapter	190
10	ANOVA, one factor: score model	191
10.1	Introduction	191
10.1.1	Motivation: why do we need the score model?	191
10.1.2	Decomposition of a basic score	191
10.1.3	Fixed effect model	192
10.1.4	Some comments on the notation	194
10.1.5	Numerical example	194
10.1.6	Score model and sum of squares	195
10.1.7	Digression: why rather than c_{rj} ?	196
10.2	ANOVA with one random factor (Model II)	197
10.2.1	Fixed and random factors	197
10.2.2	Example: S(A) design with A random	198
10.3	The score model: Model III	198
10.4	$F < 1$ or the strawberry basket	199
10.4.1	The strawberry basket	200
10.4.2	A hidden factor augmenting error	200
10.5	Size effect coefficients derived from the score model: w^2 and p^2	201
10.5.1	Estimation of w^2_{AY}	202

10.5.2	Estimating	$p^2_{A \cdot Y}$	203
10.5.3	Negative values for w and p		203
10.5.4	Test for the effect size		203
10.5.5	Effect size: which one to choose?		203
10.5.6	Interpreting the size of an effect		204
10.6	Three exercises		204
10.6.1	Images...		204
10.6.2	The fat man and not so very nice numbers ...		205
10.6.3	How to choose between fixed and random-taking off with Elizabeth Loftus ...		206
10.7	Key notions of the chapter		208
10.8	New notations		208
10.9	Key formulas of the chapter		209
10.10	Key questions of the chapter		210
11	Assumptions of analysis of variance		211
11.1	Introduction		211
11.2	Validity assumptions		211
11.3	Testing the homogeneity of variance assumption		213
11.3.1	Motivation and method		213
11.4	Example		214
11.4.1	One is a bun ...		214
11.5	Testing normality: Lilliefors		217
11.6	Notation		218
11.7	Numerical example		219
11.8	Numerical approximation		220
11.9	Transforming scores		220
11.9.1	Ranks		221
11.9.2	The log transform		221
11.9.3	Arcsine transform		221
11.10	Key notions of the chapter		222
11.11	New notations		222
11.12	Key formulas of the chapter		222
11.13	Key questions of the chapter		223
12	Analysis of variance, one factor: planned orthogonal comparisons		224
12.1	Introduction		224
12.2	What is a contrast?		225
12.2.1	How to express a research hypothesis as a contrast		227
12.2.1.1	Example: rank order		228
12.2.1.2	A bit harder		228
12.3	The different meanings of alpha		228
12.3.1	Probability in the family		229
12.3.2	A Monte-Carlo illustration		230
12.3.3	The problem with replications of a meaningless experiment: 'alpha and the captain's age'		231
12.3.4	How to correct for multiple comparisons: Sidak and Bonferroni, Boole, Dunn		232
12.4	An example: context and memory		234
12.4.1	Contrasted groups		235

12.5	Checking the independence of two contrasts	236
12.5.1	For experts: orthogonality of contrasts and correlation	236
12.6	Computing the sum of squares for a contrast	237
12.7	Another view: contrast analysis as regression	238
12.7.1	Digression: rewriting the formula of $R^2_{\gamma\psi}$	238
12.8	Critical values for the statistical index	240
12.9	Back to the context ...	241
12.10	Significance of the omnibus F vs significance of specific contrasts	244
12.11	How to present the results of orthogonal comparisons	245
12.12	The omnibus F is a mean!	246
12.13	Sum of orthogonal contrasts: sub-design analysis	246
12.13.1	Sub-design analysis: an example	247
12.14	Trend analysis	248
12.15	Key notions of the chapter	251
12.16	New notations	251
12.17	Key formulas of the chapter	251
12.18	Key questions of the chapter	252
13	ANOVA, one factor: planned non-orthogonal comparisons	253
13.1	Introduction	253
13.2	The classical approach	254
13.2.1	Sidák and Bonferonni, Boole, Dunn tests	254
13.2.2	Splitting up $a[PF]$ with unequal slices	255
13.2.3	Bonferonni <i>et al.</i> : an example	256
13.2.4	Comparing all experimental groups with the same control group: Dunnett's test	257
13.3	Multiple regression: the return!	258
13.3.1	Multiple regression: orthogonal contrasts for Romeo and Juliet	258
13.3.2	Multiple regression vs classical approach: non-orthogonal contrasts	262
13.3.3	Multiple regression: non-orthogonal contrasts for Romeo and Juliet	263
13.4	Key notions of the chapter	266
13.5	New notations	266
13.6	Key formulas of the chapter	267
13.7	Key questions of the chapter	267
14	ANOVA, one factor: <i>post hoc</i> or a <i>posteriori</i> analyses	268
14.1	Introduction	268
14.2	Scheffé's test: all possible contrasts	270
14.2.1	Justification and general idea	270
14.2.2	An example: Scheffé test for Romeo and Juliet	272
14.3	Pairwise comparisons	273
14.3.1	Tukey test	273
14.3.1.1	Digression: What is F_{range} ?	274
14.3.1.2	An example: Tukey test for Romeo and Juliet	275
14.3.2	The Newman-Keuls test	276
14.3.3	An example: taking off...	277
14.3.4	Duncan test	279

14.4	Key notions of the chapter	280
14.5	New notations	280
14.6	Key questions of the chapter	281
15	More on experimental design: multi-factorial designs	282
15.1	Introduction	282
15.2	Notation of experimental designs	283
15.2.1	Nested factors	284
15.2.2	Crossed factors	285
15.3	Writing down experimental designs	285
15.3.1	Some examples	285
15.4	Basic experimental designs	286
15.5	Control factors and factors of interest	287
15.6	Key notions of the chapter	289
15.7	Key questions of the chapter	289
16	ANOVA, two factors: $A \times B$ or $S(A \times B)$	290
16.1	Introduction	290
16.2	Organization of a two-factor design: $A \times B$	292
16.2.1	Notations	293
16.3	Main effects and interaction	294
16.3.1	Main effects	294
16.3.2	Interaction	295
16.3.3	Example without interaction	295
16.3.4	Example with interaction	296
16.3.5	More about the interaction	297
16.4	Partitioning the experimental sum of squares	297
16.4.1	Plotting the pure interaction	299
16.5	Degrees of freedom and mean squares	299
16.6	The score model (Model I) and the sums of squares	301
16.7	Example: cute cued recall	303
16.8	Score model II: A and B random factors	306
16.8.1	Introduction and review	306
16.8.2	Calculating F when A and B are random factors	307
16.8.3	Score model when A and B are random	307
16.8.4	A and B random: an example	308
16.9	ANOVA $A \times B$ (Model III): one factor fixed, one factor random	310
16.9.1	Score model for $A \times B$ (Model III)	310
16.10	Index of effect size	311
16.10.1	Index R^2 'global'	311
16.10.2	The regression point of view	312
16.10.2.1	Digression: the sum equals zero	313
16.10.2.2	Back from the digression	314
16.10.3	F ratios and coefficients of correlation	316
16.10.3.1	Digression: two equivalent ways of computing the F ratio	317
16.10.4	Index R^2 'partial'	317
16.10.5	Partitioning the experimental effect	319
16.11	Statistical assumptions and conditions of validity	319
16.12	Computational formulas	320

16.13	Relationships between the names of the sources of variability, df and SS	321
16.14	Key notions of the chapter	322
16.15	New notations	322
16.16	Key formulas of the chapter	323
16.17	Key questions of the chapter	323
17	Factorial designs and contrasts	324
17.1	Introduction	324
17.2	Vocabulary	324
17.3	Fine-grained partition of the standard decomposition	325
17.3.1	An example: back to cute cued recall	325
17.3.1.1	The same old story: computing the sum of squares for a contrast	326
17.3.1.2	Main effect contrasts	326
17.3.1.3	Interaction contrasts	327
17.3.1.4	Adding contrasts: sub-design analysis	327
17.4	Contrast analysis in lieu of the standard decomposition	328
17.5	What error term should be used?	330
17.5.1	The easy case; fixed factors	330
17.5.2	The harder case: one or two random factors	330
17.6	Example: partitioning the standard decomposition	330
17.6.1	Testing the contrasts	331
17.7	Example: a contrast non-orthogonal to the standard decomposition	332
17.8	<i>A posteriori</i> comparisons	333
17.9	Key notions of the chapter	334
17.10	Key questions of the chapter	334
18	ANOVA, one-factor repeated measures design: $S \times A$	335
18.1	Introduction	335
18.2	Advantages of repeated measurement designs	335
18.3	Examination of the F ratio	337
18.4	Partition of the within-group variability: $S(A) = S + AS$	338
18.5	Computing F in an $S \times A$ design	340
18.6	Numerical example: $S \times A$ design	340
18.6.1	An alternate way of partitioning the total sum of squares	342
18.7	Score model: Models I and II for repeated measures designs	343
18.8	Effect size: R , R , and R	343
18.9	Problems with repeated measures	344
18.9.1	Carry-over effects	345
18.9.2	Pre-test and post-test	345
18.9.3	Statistical regression, or regression toward the mean	346
18.10	Score model (Model I) $S \times A$ design: A fixed	346
18.11	Score model (Model II) $S \times A$ design: A random	347
18.12	A new assumption: sphericity (circularity)	348
18.12.1	Sphericity: intuitive approach	348
18.12.2	Box's index of sphericity: ϵ	349
18.12.3	Greenhouse-Geisser correction	350

18.12.4	Extreme Greenhouse-Geisser correction	351
18.12.5	Huynh-Feldt correction	351
18.12.6	Stepwise strategy for sphericity	351
18.13	An example with computational formulas	352
18.14	Another example: proactive interference	353
18.15	Key notions of the chapter	354
18.16	New notations	355
18.17	Key formulas of the chapter	355
18.18	Key questions of the chapter	357
19	ANOVA, two-factor completely repeated measures: $S \times A \times B$	358
19.1	Introduction	358
19.2	Example: plungin'	358
19.3	Sum of squares, means squares and F ratios	359
19.4	Score model (Model I), $S \times A \times B$ design: A and B fixed	361
19.5	Results of the experiment: plungin'	362
19.6	Score model (Model II): $S \times A \times B$ design, A and B random	367
19.7	Score model (Model III): $S \times A \times B$ design, A fixed, B random	368
19.8	Quasi-F : F'	369
19.9	A cousin F''	370
19.9.1	Digression: what to choose?	371
19.10	Validity assumptions, measures of intensity, key notions, etc.	371
19.11	New notations	371
19.12	Key formulas of the chapter	372
20	ANOVA, two factor partially repeated measures: $S(A) \times B$	373
20.1	Introduction	373
20.2	Example: bat and hat	375
20.3	Sums of squares, mean squares, and F ratios	377
20.4	The comprehension formula routine	378
20.5	The 13-point computational routine	380
20.6	Score model (Model I), $S(A) \times B$ design: A and B fixed	381
20.7	Score model (Model II), $S(A) \times B$ design: A and B random	382
20.8	Score for Model III, $S(A) \times B$ design: A fixed and B random	383
20.9	Coefficients of intensity	384
20.10	Validity of $S(A) \times B$ designs	384
20.11	Prescription	385
20.12	Key notions of the chapter	385
20.13	Key formulas of the chapter	385
20.14	Key questions of the chapter	386
21	ANOVA, nested factorial design: $S \times A(B)$	387
21.1	Introduction	387
21.2	Example: faces in space	388
21.2.1	A word of caution: it is very hard to be random	388

21.3	How to analyze an $S \times A(B)$ design	389
21.3.1	Sums of squares	389
21.3.2	Degrees of freedom and mean squares	390
21.3.3	F and quasi-F ratios	391
21.4	Back to the example: faces in space	392
21.5	What to do with A fixed and B fixed	393
21.6	When A and B are random factors	394
21.7	When A is fixed and B is random	394
21.8	New notations	394
21.9	Key formulas of the chapter	394
21.10	Key questions of the chapter	395

22 How to derive expected values for any design 396

22.1	Introduction	396
22.2	Crossing and nesting refresher	397
22.2.1	Crossing	397
22.2.2	Nesting	397
22.2.2.1	A notational digression	397
22.2.2.2	Back to nesting	397
22.3	Finding the sources of variation	398
22.3.1	Sources of variation. Step 1: write down the formula	398
22.3.2	Sources of variation. Step 2: elementary factors	398
22.3.3	Sources of variation. Step 3: interaction terms	399
22.4	Writing the score model	400
22.5	Degrees of freedom and sums of squares	401
22.5.1	Degrees of freedom	401
22.5.2	Sums of squares	401
22.5.2.1	Comprehension formulas	402
22.5.2.2	Computational formulas	402
22.5.2.3	Computing in a square	402
22.6	Example	403
22.7	Expected values	404
22.7.1	Expected value: Step 1	404
22.7.2	Expected value: Step 2	405
22.7.3	Expected value: Step 3	405
22.7.4	Expected value: Step 4	406
22.8	Two additional exercises	406
22.8.1	$S(A \times B(C))$: A and B fixed, C and S random	407
22.8.2	$S(S \times B(C))$: A fixed, B , C , and S random	407

Appendices 409

A	Descriptive statistics	411
A.1	Introduction	411
A.2	Histogram	411
A.3	Some formal notation	414
A.3.1	Notations for a score	414
A.3.2	Subjects can be assigned to different groups	414

A.3.3	The value of a score for subjects in multiple groups is V_{as}	414
A.3.4	The summation sign is	414
A.4	Measures of central tendency	415
A.4.1	Mean	416
A.4.2	Median	416
A.4.3	Mode	417
A.4.4	Measures of central tendency recap	417
A.5	Measures of dispersion	417
A.5.1	Range	417
A.5.2	Sum of squares	417
A.5.3	Variance	419
A.5.4	Standard deviation	421
A.6	Standardized scores alias Z-scores	422
A.6.1	Z-scores have a mean of 0, and a variance of 1	422
A.6.2	Back to the Z-scores	423
B	The sum sign: Σ	424
B.1	Introduction	424
B.2	The sum sign	424
C	Elementary probability: a refresher	426
C.1	Introduction	426
C.2	A rough definition	426
C.3	Some preliminary definitions	427
C.3.1	Experiment, event and sample space	427
C.3.2	More on events	428
C.3.3	Or, and, union and intersection	430
C.4	Probability: a definition	430
C.5	Conditional probability	432
C.5.1	Bayes' theorem	434
C.5.2	Digression: proof of Bayes'theorem	435
C.6	Independent events	436
C.7	Two practical counting rules	438
C.7.1	The product rule	438
C.7.2	Addition rule	439
C.8	Key notions of the chapter	440
C.9	New notations	441
C.10	Key formulas of the chapter	441
C.11	Key questions of the chapter	442
D	Probability distributions	443
D.1	Introduction	443
D.2	Random variable	443
D.3	Probability distributions	444
D.4	Expected value and mean	446
D.5	Variance and standard deviation	447
D.6	Standardized random variable: Z-scores	449
D.7	Probability associated with an event	451
D.8	The binomial distribution	453

D.9	Computational shortcuts		456
D.9.1	Permutation, factorial, combinations and binomial coefficient		456
D.10	The 'normal approximation'		460
D.10.1	Digression: the equation of the normal distribution		460
D.11	How to use the normal distribution		462
D.12	Computers and Monte-Carlo		465
D.13	Key notions of the chapter		467
D.14	New notations		467
D.15	Key formulas of the chapter		468
D.16	Key questions of the chapter		468
E	The binomial test		470
E.1	Introduction		470
E.2	Measurement and variability in psychology		470
E.2.1	<i>Kiwi</i> and <i>Koowoo</i> : a binomial problem		471
E.2.2	Statistical test		472
E.3	Coda: the formal steps of a test		475
E.4	More on decision making		476
E.4.1	Explanation of 'tricky' wording		479
E.5	Monte-Carlo binomial test		479
E.5.1	A test for large N : normal distribution		480
E.6	Key notions of the chapter		483
E.7	New notations		483
E.8	Key questions of the chapter		484
F	Expected values		485
F.1	Introduction		485
F.2	A refresher		485
F.3	Expected values: the works for an $S(A)$ design		488
F.3.1	A refresher		488
F.3.2	Another refresher: the score model		489
F.3.3	Back to the expected values		490
F.3.4	Evaluating	A	490
F.3.5	Evaluating	AS	492
F.3.6	Evaluating	1	493
F.3.7	Expected value of the sums of squares		494
F.3.8	Expected value of the mean squares		494
	Statistical tables		495
Table 1	The standardized normal distribution		497
Table 2	Critical values of Fisher's F		499
Table 3	Fisher's Z transform		502
Table 4	Lilliefors test of normality		505
Table 5	Sidák's test		506
Table 6	Bonferroni's test		509

Table 7	Trend analysis: orthogonal polynomials	512
Table 8	Dunnett's test	513
Table 9	F_{range} distribution	514
Table 10	Duncan's test	515
References		518
Index		531